## **CONTENTS OF VOLUME 8**

## TABLE OF CONTENTS LASER AND PARTICLE BEAMS Vol. 8 1990

## NUMBERS 1 AND 2

19th European Conference on Laser Interaction with Matter October 3-7, 1988, Madrid, Spain

Preface	1
C. Yamanaka (Osaka University, Japan): Laser driven implosion	3
M. H. Key, M. Grande, C. Hooker, S. Rose, I. Ross, M. Shaw, G. Tallents (Rutherford Lab., Appleton, UK), H. Baldis (Naval Research Centre, Ottawa, Canada), D. Brown, P. Norreys, E. Wooding (Royal Holloway and Bedford New College, UK), G. Pert (U. of York, UK), S. Ramsden (U. of Hull, UK), C. Lewis, D. O'Neill, C. Regan (Queens U. Belfast, UK), and Y. Kato (Osaka University, Japan): High power laser development and experimental applications to X-ray lasers, and short pulse energy transport	19
R. L. McCrory, J. M. Soures, C. P. Verdon, F. J. Marshall, S. A. Letzring, T. J. Kessler, J. P. Knauer, H. Kim, R. L. Kremens, S. Skupsky, R. L. Keck, D. K. Bradley, W. D. Seka, P. A. Jaanimagi, J. A. Delettrez, and P. W. McKenty (University of Rochester, Rochester, NY, USA): High-density, direct-drive implosion experiments	27
M. P. Goldsworthy, H. Hora, and R. J. Stening (UNSW, Kensington, Australia): Double layer effects causing nearly uniform striated second harmonic emission from a laser irradiated plasma corona	33
J. C. V. Hansom, P. A. Rosen, T. J. Goldack, K. Oades, P. Fieldhouse, N. Cowperthwaite, D. L. Youngs, N. Mawhinney, and A. J. Baxter (Atomic Weapons Establishment, Reading, UK): Radiation-driven planar foil instability and mix experiments at the AWE HELEN laser	51
R. Fabbro, B. Faral, J. C. Gauthier, C. Chenais-Popovics, J. P. Geindre (Ecole Polytechnique, Palaiseau, France), and H. Pepin (INRS, Montreal, Canada): Study of the emissivity of the rear face of a shocked foil with temporal and X-UV spectral resolution in single and colliding foil experiments	73
W. B. Herrmannsfeldt (Stanford University, Stanford, CA, USA) and D. Keefe (U. of California, Berkeley, CA, USA): Induction linac drivers for heavy ion fusion	81
T. Aoki and K. Niu (Tokyo Institute of Technology, Japan): 2-D simulation for focus of rotating and propagating ion beam in neutral gas	89
R. C. Mancini and C. F. Hooper, Jr. (University of Florida, Gainesville, FL, USA): Atomic physics and hydrodynamics of laser driven Ar-filled plastic microballoon implosions	95
E. Minguez and M. L. Gámez (DENIM, Madrid, Spain): Analysis of atomic physics models for the multigroup opacities calculation	103

J. J. Honrubia (DENIM, Madrid, Spain): A multigroup radiation analysis of the light ion beam energy conversion into X-rays	117
C. Strangio and A. Caruso (EURATOM-ENEA, Rome, Italy): Interaction of integrated beams with thin foils and microballoons	135
J. Limpouch, G. Lončar (Technical U. of Prague, Czechoslovakia), and R. Dragila (The Australian National U., Canberra, Australia): Laser beam filamentation in a plasma with a steep density profile	143
A. A. Offenberger, J. Santiago, M. Fujita, R. Fedosejevs, and W. Rozmus (U. of Alberta, Edmonton, Alberta, Canada): Stimulated scattering from laser produced plasma	153
<ul> <li>E. G. Gamaly, I. G. Lebo, V. B. Rozanov (Lebedev Inst., Moscow, USSR), A. P. Favorsky,</li> <li>A. O. Fedyanin, E. E. Myshetskaya, and V. F. Tishkin (Keldysh Inst. Moscow, USSR):</li> <li>Nonlinear stage in the development of hydrodynamic instability in laser targets</li> </ul>	173
B. H. Ripin, C. K. Manka, T. A. Peyser, E. A. McLean, J. A. Stamper, A. N. Mostovych, J. Grun, K. Kearney, J. R. Crawford, and J. D. Huba (Naval Research Lab., Washington, DC, USA): Laboratory laser-produced astrophysical-like plasmas	183
H. Fiedorowicz and M. Kolanowski (IPPLM, Warsaw, Poland): Effect of the hydrodynamic instability on the burn-through time measurements	191
L. R. Foreman and J. K. Hoffer (LANL, Los Alamos, NM, USA): Fabrication of ICF reactor targets based on symmetrization of solid fuel	197
R. Suchańska and W. Muniak (IPPLM, Warsaw, Poland): Laser targets fabrication technologies	203
T. J. H. Pättikangas and R. R. E. Salomaa (Helsinki U. of Technology, Finland): Dynamics of double stimulated Brillouin scattering	209
S. Atzeni (EURATOM-ENEA, Rome, Italy): 2-D studies of non-uniformly irradiated spherical shells	227
S. R. Borodziuk and J. L. Kostecki (IPPLM, Warsaw, Poland): Studies of hypervelocity impact problem by means of laser-target experiments—A new approach	241
M. A. Harith, V. Palleschi, A. Salvetti, D. P. Singh, G. Tropiano, and M. Vaselli (Ist. di Fisica, Pisa, Italy): Hydrodynamic evolution of laser driven diverging shock waves	247
D. P. Singh, M. A. Harith, V. Palleschi, G. Tropiano, M. Vaselli (Ist. di Fisica, Pisa, Italy), N. Salingaros (U. of Texas, San Antonio, TX, USA), and E. Panarella (Advanced Laser and Fusion Technology, Inc., Ottawa, Canada): The spherical pinch: Generalized scal- ing laws and experimental verification of the stability of imploding shock waves in spherical geometry	253
T. Błeński and J. Ligou (Ecole Polytechnique Federale de Lausanne, Switzerland): Calculations of radiation opacity for high Z elements	265
C. R. Phipps, Jr., R. F. Harrison, T. Shimada, G. W. York, T. P. Turner, X. F. Corlis, H. S. Steele, L. C. Haynes (LANL, Los Alamos, NM, USA), and T. R. King (Boeing Aerospace Co., Seattle, WA, USA): Enhanced vacuum laser-impulse coupling by volume absorption at infrared wavelengths	281
T. Tomie, I. Okuda, Y. Owadano, M. Tanimoto, Y. Matsumoto, S. Komeiji, K. Koyama, I. Matsushima, A. Yaoita, and M. Yano (Electrotech. Lab., Tsukuba, Ibaraki, Japan): Picosecond high power KrF laser system for X-ray laser research	299
J. P. Bardet, J. L. Bobin, C. Dimarcq, L. Giry, J. B. Larour, J. C. Valognes, and M. A. Zaibi (Univ. Pierre et Marie Curie, Paris, France): Spectral diagnostic of a resonantly laser created plasma	307

A. Djaoui, T. A. Hall (University of Essex, UK), R. C. Albers (LANL, Los Alamos, NM, USA), J. J. Rehr and J. Mustre (University of Washington, Seattle, WA, USA): Calculation of X-ray absorption structure above K-edge of laser shock-compressed aluminum	319
J. E. Balmer, R. Weber, P. F. Cunningham, and P. Lädrach (University of Bern, Switzerland): Plasma evolution in laser-irradiated hollow microcylinders	327
Yu. A. Zakharenkov, A. V. Kosterin, A. S. Shikanov (Lebedev Inst., Moscow, USSR), V. V. Pikalov, and N. G. Preobrazhensky (Inst. for Pure & Applied Mechanics, Novosibirsk, USSR): Laser produced plasma refractometry	339
Q. Lou (Academia Sinica, Shanghai, China): Research on the conversion effects of pulsed laser plasma electric signal	343
S. G. Lukishova (USSR Academy of Sciences, Moscow, USSR), P. P. Pashinin, S. K. Batygov (Inst. of General Physics, Moscow, USSR), V. A. Arkhangelskaya, A. E. Poletimov, A. S. Scheulin (State Optical Inst., Leningrad, USSR), and B. M. Terentiev (All-Union Inst. of Radiation Engineering, Moscow, USSR): High-power laser beam shaping using apodized apertures	349
J. A. Waltham, M. Notcutt, P. F. Cunningham, and M. M. Michaelis (University of Natal, Durban, South Africa): Evaluation of gas lens laser-produced plasmas	361
Book Reviews by H. Hora	369
Number 3	
TOMBER 3	
W. A. Johnson and L. K. Warne (SNL, Albuquerque, NM, USA): TEM analysis of multi- module effects on coax-parallel-plate transitions for PBFA II	371
A. Luccio, G. Matone, L. Miceli (BNL, Upton, NY, USA) and G. Giordano (Lab. Nazionali di Frascati, Rome, Italy): Coherent backscattering in the soft X-ray region	383
E. G. Gamaly, I. G. Lebo, V. B. Rozanov (Lebedev Inst., Moscow, USSR), A. P. Favorsky, A. O. Fedyanin, E. E. Myshetskaya, and V. F. Tishkin (Keldysh Inst., Moscow, USSR): Nonlinear stage in the development of hydrodynamic instability in laser targets	399
M. M. Basko (Inst. of Theoret. & Exp. Phys., Moscow, USSR): Hydrodynamic efficiency of illumination by ion beams	409
V. Palleschi, D. P. Singh, M. Vaselli (Ist. Fisica, Pisa, Italy), and M. A. Harith (Cairo U., Egypt): Thermal effects of hot electron halo in a laser-imploded Z-layered plasma pellet	421
R. L. Williams, C. E. Clayton, C. Joshi, T. Katsouleas, and W. B. Mori (UCLA, USA): Studies of relativistic wave-particle interactions in plasma-based collective accelerators	427
F. F. Körmendi (Inst. H. T. M., Belgrade, Yugoslavia): Kinematical relations at nonlinear laser field: Free electron interactions	451
J. Sanz and F. Ibáñez (U. Politécnica, Madrid, Spain): Thermal focusing instability in spherical targets for laser fusion	461
P. Choi, C. Deeney (Imperial College, London, UK), H. Herold, and C. S. Wong (U. Stuttgart, FRG): Characterization of self-generated intense electron beams in a plasma focus	469
W. H. Choe (U. Illinois, Urbana-Champaign, USA): Fast compression of magnetic flux inside an imploding cylinder driven by laser beams	477

W. H. Choe and R. C. Venkatesan (U. Illinois, Urbana-Champaign, USA): Self-similar solutions of screw-pinch plasma implosion	485
D. B. McGarrah and M. L. Brake (U. Michigan, Ann Arbor, USA): Argon ion excitation by relativistic electrons: I. Collision cross sections and deposition efficiencies	493
D. B. McGarrah and M. L. Brake (U. Michigan, Ann Arbor, USA): Argon ion excitation by relativistic electrons: II. Chemical kinetics	507
Book Reviews by H. Hora	521
Book Review by B. Wilhelmi	522
Number 4	
Papers from 5th International Workshop on Atomic Physics for Ion Driven Fus January 29-February 2, 1990, Schliersee, Germany	ion
J. Meyer-ter-Vehn: Preface	523
I. Hofmann (GSI Darmstadt, Germany): Principles of non-Liouvillean pulse compression by photoionization for heavy-ion fusion drivers	527
C. Deutsch (L.P.G.P., Orsay, France): Interaction of ion cluster beams with cold matter and dense plasmas	541
J. Bailey, A. L. Carlson, G. Chandler, M. S. Derzon, R. J. Dukart, B. A. Hammel, D. J. Johnson, T. R. Lockner, J. Maenchen, E. J. McGuire, T. A. Mehlhorn, W. E. Nelson, L. E. Ruggles, W. A. Stygar, and D. F. Wenger (SNL, Albuquerque, NM, USA): Observation of $K\alpha$ X-ray satellites from a target heated by an intense ion beam	555
R. Bock (GSI Darmstadt, Germany): German heavy-ion ICF activities: Status and prospects	563
D. Gardes, R. Bimbot, M. F. Rivet, A. Servajean (Inst. Phys. Nucl., Orsay, France), A. Fleurier, D. Hong (GREMI, Orleans, France), C. Deutsch, and G. Maynard (L.P.G.P., Orsay, France): New results obtained with sulphur and bromine ions interacting with a Z-pinch hydrogen discharge	575
KG. Dietrich, K. Mahrt-Olt, J. Jacoby, E. Boggasch, M. Winkler, B. Heimrich, and D. H. H. Hoffmann (GSI Darmstadt, Germany): Beam-plasma interaction experiments with heavy-ion beams	583
H. Kunze, R. Noll, G. Herziger (Fraunhofer-Inst. Lasertechnik, Aachen, Germany), C. R. Haas, M. Elfers, and J. Hertzberg (Lehrstuhl Lasertechnik, Aachen, Germany): Pulsed-power-generated plasma of high reproducibility	595
Y. Setsuhara, H. Azechi, N. Miyanaga, H. Furukawa, R. Ishizaki, K. Nishihara, M. Katayama, A. Nishiguchi, K. Mima, and S. Nakai (Inst. Laser Engin., Osaka, Japan): Secondary nuclear fusion reactions as evidence of electron degeneracy in highly compressed fusion fuel	609
Khiet Tu (L.P.G.P., Orsay, France): Nonlinear Z correction to the stopping power in a hot electron gas	621
E. Nardi and Z. Zinamon (Weizmann Inst., Rehovot, Israel): Atomic processes in ionic projectiles in plasma: End-of-the-range effects	635

Th. Peter (MPI, Garching, Germany): Scaling laws for the effective charge of heavy ions penetrating gas or plasma targets	643
A. Ulrich, B. Busch, H. Eylers, W. Krötz, R. Miller, R. Pfaffenberger, G. Ribitzki, J. Wieser	
(Tech. Univ., München, Germany), and D. E. Murnick (Rutgers Univ., Newark, NJ, USA): Lasers pumped by heavy-ion beams	659
B. Kärcher and J. Meyer-ter-Vehn (MPI, Garching, Germany): Ion-beam-driven plasma described by rate equations	679
H. Minoo, M. Cukier, and J. Haidar (L.P.G.P., Orsay, France): Time-dependent collisional radiative model of ionizing and recombining plasmas	697
E. Minguez (DENIM, Madrid, Spain): Analytical approximation for oscillator strengths of H-like ions	709
A. Rickert and J. Meyer-ter-Vehn (MPI, Garching, Germany): Frequency-dependent opacity calculations for high- $Z$ plasma including $l$ splitting	715
J. J. MacFarlane, P. Wang, and G. A. Moses (Fusion Tech. Inst., Madison, WI, USA): Non-LTE radiation transport in moderate-density plasmas	729
G. C. Pomraning (Karlsruhe, Germany): Radiative transfer in Rayleigh-Taylor unstable ICF pellets	741
T. Kahlbaum (Zentralinst. Elektronenphysik, Berlin, Germany) and A. Förster (Humboldt-Univ., Berlin, Germany): Thermodynamic properties of nonideal plasmas with multiple ionization and Coulomb and hard-core interactions	753
U. Reimann and C. Toepffer (Univ. Erlangen, Germany): Collision times in plasmas	763
U. Reimann and C. Toepffer (Univ. Erlangen, Germany): Temperature relaxation in a strongly coupled plasma	771
D. Léger and C. Deutsch (L.B.G.P., Orsay, France): Linear and electronic transport in strongly coupled binary ionic mixtures	781
V. Schneider, K. J. Lutz, and J. A. Maruhn (Univ. Frankfurt, Germany): Hydrodynamic flow simulations with relevance to heavy ion induced fusion	793
N. K. Gupta, C. D. Munz, and B. Goel (Karlsruhe, Germany): An efficient shock capturing scheme for ion beam target simulation	807
Regular Papers	
G. A. Kirillov, V. M. Murugov, V. T. Punin, and V. I. Shemyakin (All-Union Res. Inst., Gorky Region, USSR): High power laser system ISKRA V	827
V. Schneider and J. Maruhn (Univ. Frankfurt, Germany): Heating matter by intense heavy ion beams at SIS energies	833
Book Reviews	851
Index	855